

**ORO LOMA SANITARY DISTRICT  
ORDINANCE NO. 39-9**

**AN ORDINANCE REGULATING THE USE OF PUBLIC AND PRIVATE  
SEWERS AND DRAINS, REGULATING THE DISCHARGE OF WATERS  
AND WASTES INTO THE PUBLIC SEWER SYSTEM, PROVIDING FOR  
WASTEWATER DISCHARGE PERMITS AND FIXING PERMIT AND  
MONITORING FEES, AND PROVIDING FOR LIABILITIES AND  
PENALTIES FOR THE VIOLATION OF THE PROVISIONS THEREOF**

At the regular meeting of the Sanitary Board of the Oro Loma Sanitary District, held October 7, 2008, the Board adopted Ordinance No. 39-9, with the following revisions.

The revised Ordinance No. 39-9 contains the following changes: new EPA Streamlining requirements, including Best Management Practices (BMP's); Dental amalgam trap requirements for dental facilities, a NPDES/RWQCB requirement; Fats, Oils, and Grease (FOG) interceptor requirements and BMP's for Industrial/Commercial Users; hospital/medical care facility waste prohibitions; pharmaceutical waste prohibition; groundwater discharge limitations; revised local limits table for better User viewing, including EPA test methods. The Ordinance revisions have been submitted to the Regional Water Quality Control Board for approval, as required.

**Complete copies of this Ordinance are available to the public at:**

Oro Loma Sanitary District  
2655 Grant Avenue, San Lorenzo, CA 94580  
(510) 276-4700  
and at [www.oroloma.org](http://www.oroloma.org)



I hereby certify the foregoing is a full, true and correct summary of an ordinance duly and regularly adopted by the Sanitary Board of the Oro Loma Sanitary District, Alameda County, California, at a meeting thereof held on the 7th day of October, 2008, by the following vote of the members thereof:

AYES, Members:                   Becker, Dias, Landis, Sidari

NOES, Members:                   None

ABSENT, Members:               Kerr

s/ Frank V. Sidari, President  
Sanitary Board

COUNTERSIGNED:  
Laython Neal Landis, Secretary